

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:39 pm

PWS ID: UTAH22061 **Name:** ASPEN ACRES ASSOCIATION

Legal Contact: ASPEN ACRES ASSOCIATION **Rating:** Approved
RICK ALLIS **Rating Date:** 11/22/2010

Address: ASPEN ACRES ASSOCIATION **Activity Status:** Active
OAKLEY, UT 84055

Phone Number: 435-783-7824

City Served (Area):

County: SUMMIT COUNTY

System Type: Non-community **Last Inv Update:** 05/03/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 09/10/2010 **Total Dsgn Cap:**

Population: 200 **Surveyor:** HAROLD ZANE DEWEI **Total Emerg Cap:**

Oper Period: 6/1 to 9/30

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	01/01/2010		6/1	9/30	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001 ASPEN ACRES SPRING		Activity Status: A	Sample Label: UTAH22061	WS001	WS001
NITRATE	1	Routine	Year	07/05/2010	01/01/2011-12/31/2011
SULFATE	1	Routine	9Y	10/26/2004	01/01/2011-12/31/2019